



# GUAM ENVIRONMENTAL PROTECTION AGENCY



## AHENSIAN PRUTEKSION LINA'LA GUAHAN

P.O. Box 22439 GMF • BARRIGADA, GUAM 96921 • TEL: 475-1658 /9 • FAX: 477-9402

### TITLE V PERMIT TO OPERATE

Permit Number: **FO-015F**  
Issue Date: **March 2, 2009**  
Expiration Date: **March 1, 2014**

**C O P Y**

In accordance with the provisions of Title V of the Clean Air Act (CAA) and the Guam Air Pollution Control Standards and Regulations (GAPCSR), Public Law 24-322, and the Guam Air Pollution Control Act (GAPCA), Public Law 24-20, 10 Guam Code Annotated (GCA), Chapter 49,

#### **Naval Facilities Engineering Command Marianas Orote Point, SIC Code 49**

is authorized to operate air emission units and to conduct other air pollutant emitting activities in accordance with the permit conditions listed in this permit. Terms and conditions not otherwise defined in this permit have the meaning assigned to them in the referenced regulations. All terms and conditions of the permit are enforceable by the United States Environmental Protection Agency (USEPA), the Guam Environmental Protection Agency (GEPA), and citizens under the CAA. The issuance of this permit is based on the plans, specifications, and additional information submitted as part of the application dated February 22, 2001.

If all proposed control measures and/or equipment are not installed and properly operated and maintained, this will be considered a violation of the permit.

Acceptance of this permit constitutes an agreement and acknowledgement that the holder will comply with all the rules and regulations of GEPA and these permit Conditions.

This permit, (a) does not in any manner affect the title of the premises upon which the equipment is located, (b) does not release the permittee from any liability for any loss due to personal injury or property damage caused by, resulting from or arising out of the design, installation, maintenance, or operation of the equipment, and (c) in no manner implies or suggests that GEPA, or its officers, agents, or employees assumes any liability, directly or indirectly, for any loss due to personal injury or property damage caused by, resulting from or arising out of the design, installation, maintenance, or operation of the equipment.



**Guam EPA**

Title V Federal Operating Permit

Naval Facilities Engineering Command Marianas

Orote Point, SIC Code 49

Permit No. FO-015F

Expires: March 1, 2014

This permit is valid for a period of five (5) years and shall expire at midnight on the date specified above unless a timely and complete renewal application has been submitted at least 6 months but not more than 18 months prior to the date of expiration. The permit number cited above should be referenced in future correspondence regarding this facility.

**NOV 11 2009**

Date



LORILEE T. CRISOSTOMO

Administrator

Guam EPA



**Guam EPA**

Title V Federal Operating Permit

Naval Facilities Engineering Command Marianas

Orote Point, SIC Code 49

Permit No. FO-015F

Expires: March 1, 2014

**Abbreviations and Acronyms**

CAA	Clean Air Act [42 U.S.C. Section 7401 et seq.]
CEM	Continuous Emission Monitoring
CFR	Code of Federal Regulations
CO	Carbon Monoxide
GCA	Guam Code Annotated
GEPA	Guam Environmental Protection Agency
hr	hour
kW	kilowatt
lb	pound
MMBtu	Million British thermal units
NAAQS	National Ambient Air Quality Standard
NO <sub>x</sub>	Nitrogen Oxides
PEM	Predictive Emissions Monitoring
PSD	Prevention of Significant Deterioration
SIC	Standard Industrial Classification
SIP	State Implementation Plan
SO <sub>2</sub>	Sulfur Dioxide
USEPA	United States Environmental Protection Agency



**Guam EPA**

Title V Federal Operating Permit

Naval Facilities Engineering Command Marianas

Orote Point, SIC Code 49

Permit No. FO-015F

Expires: March 1, 2014

**TABLE OF CONTENTS**

Cover Page

Abbreviations and Acronyms

**I. Source Identification**

**II. Facility-wide and Unit Specific Permit Conditions**

- A. Equipment Description
- B. Emission Limits
- C. Work Practice and Operational Requirements
- D. Monitoring and Testing Requirements
- E. Recordkeeping Requirements
- F. Reporting Requirements
- G. Compliance Schedule
- H. Compliance Certifications
- I. General Air Quality Protections
- J. Annual Emissions Reporting Requirements
- K. Fee Payment

**III. Title V Administrative Requirements**

- A. Blanket Compliance Statement
- B. Duty to Provide and Supplement Information
- C. Submissions
- D. Severability Clause
- E. Circumvention
- F. Permit Actions
- G. Reopening for Cause
- H. Property Rights
- I. Inspection and Entry
- J. Emergency Provisions
- K. Transfer of Ownership or Operation
- L. Permit Expiration and Renewal
- M. Permit Modifications
- N. Malfunctions
- O. Agency Notifications
- P. Miscellaneous Conditions





**Guam EPA**

Title V Federal Operating Permit

Naval Facilities Engineering Command Marianas

Orote Point, SIC Code 49

Permit No. FO-015F

Expires: March 1, 2014

**I. Source Identification**

Facility Name:	Naval Facilities Engineering Command Marianas
Facility Location:	Orote Point
City:	Santa Rita
Territory:	Guam
USEPA Region:	9
SIC Code:	49
Responsible Official:	NAVFAC Marianas Commanding Officer
Phone Number:	(671) 339-5100
Facility Manager/Contact:	Refer to Updated Inventory Spreadsheet for pertinent info.
Phone Number:	
Person Responsible for Recordkeeping:	Refer to Updated Inventory Spreadsheet for pertinent info.
Phone Number:	
Description of Process:	This facility consists of a series of boiler and generators, as well as a diesel-fired wood shredder and a sanitary landfill.

**Guam EPA**

Title V Federal Operating Permit

Naval Facilities Engineering Command Marianas

Orote Point, SIC Code 49

Permit No. FO-015F

Expires: March 1, 2014

**II. Facility-wide and Unit Specific Permit Conditions****II.A. Equipment Description**

II.A.1 This permit encompasses the following equipment and associated appurtenances that are considered significant sources of emissions. [GAPCSR, Section 1104.12(12)]

<b>Emission Unit ID</b>	<b>Description</b>	<b>Manufacturer</b>	<b>Model</b>	<b>Serial Number</b>
278	6,600 kW diesel-fired generator	Stork-Wartsila	16TM410	51000
279	6,600 kW diesel-fired generator	Stork-Wartsila	16TM410	51100
280	6,600 kW diesel-fired generator	Stork-Wartsila	16TM410	50900
335	196,000 cubic yard sanitary landfill			
342	210 kW diesel-fired tire shredder			
424	300 kW diesel-fired black-start emergency generator			

II.A.2 The permittee shall have installed an identification tag or nameplate on each piece of equipment that identifies the model number, serial number, and manufacturer. The identification tag or nameplate shall be permanently attached to the equipment at a conspicuous location. [Section 49107(7)(B) of Chapter 49, Part 2, Division 2, Part 1 of Title 10 of the GCA]

**II.B. Emission Limits****II.B.1 Fuel Burning Equipment (Units 278, 279, 280, 342, and 424)**

II.B.1.a The permittee shall not cause or permit the continuous emission of visible air pollutants with a density equal to or darker than twenty (20) percent opacity from any emission unit nor the emission of visible air pollutants of a density darker than sixty (60) percent opacity for a period aggregating more than three (3) minutes in any sixty (60) minute period. [GAPCSR, Section 1103.3; State Implementation Plan (SIP), Section 10.1]

## **II.B.2 Diesel-Fired Generators (Units 278, 279, and 280)**

II.B.2.a The permittee shall not discharge or cause the discharge of sulfur dioxide (SO<sub>2</sub>) in excess of 34.3 lbs/hr from each of the diesel-fired generators (Units 278, 279, and 280). [USEPA PSD Permit NSR 4-11, GU 93-03, Condition X.E, Issued December 12, 1995]

II.B.2.b The permittee shall not discharge or cause the discharge of carbon monoxide (CO) in excess of 9.0 lbs/hr from each of the diesel-fired generators (Units 278, 279, and 280). USEPA may set a new lower allowable emission rate for the diesel-fired generators (Units 278, 279, and 280) after reviewing the performance test results or the initial CO monitoring data required under Conditions II.D.7 and II.D.8 of this permit. If the CO emission limit is revised, the difference between the CO emission limit set forth in this condition and a revised lower CO emission limit shall not be allowed as an emission offset for future construction or modification. [USEPA PSD Permit NSR 4-11, GU 93-03, Condition X.F, Issued December 12, 1995]

II.B.2.c The permittee shall not discharge or cause the discharge of nitrogen oxides (NO<sub>x</sub>) in excess of 142.2 lbs/hr from each of the diesel-fired generators (Units 278, 279, and 280). USEPA may set a new lower allowable emission rate for the diesel-fired generators (Units 278, 279, and 280) after reviewing the performance test results or the initial NO<sub>x</sub> monitoring data required under Conditions II.D.7, II.D.8, and II.D.10 of this permit. If the NO<sub>x</sub> emission limit is revised, the difference between the NO<sub>x</sub> emission limit set forth in this condition and a revised lower NO<sub>x</sub> emission limit shall not be allowed as an emission offset for future construction or modification. [USEPA PSD Permit NSR 4-11, GU 93-03, Condition X.G, Issued December 12, 1995]

II.B.2.d Particulate emissions from these emission units shall not exceed 0.61 lb/MMBtu. [SIP, Section 7.5]

## **II.B.3 Diesel-Fired Tire Shredder (Unit 342)**

II.B.3.a Particulate emissions from this emission unit shall not exceed 1.4 lb/MMBtu. [SIP, Section 7.5]

#### II.B.4 Diesel-Fired Black Start Emergency Generator (Unit 424)

II.B.4.a Particulate emissions from this emission unit shall not exceed 1.3 lb/MMBtu. [SIP, Section 7.5]

### II.C. Work Practice and Operational Requirements

II.C.1 All equipment, facilities, and systems installed or used to achieve compliance with terms and conditions of this permit shall at all times, including periods of startup, shutdown and malfunction, be maintained in good working order and be operated as efficiently as possible so as to minimize air pollutant emissions. The permittee shall conduct proper preventative maintenance procedures for the emission units identified in Condition II.A.1 of this permit in accordance with the manufacturer's recommendations. [USEPA PSD Permit NSR 4-11, GU 93-03, Condition III, Issued December 12, 1995; GAPCSR, Section 1104.12(12)]

II.C.2 Fuel oil used in the diesel-fired emission units identified in Condition II.A.1 of this permit, with the exception of the diesel-fired generators (Units 278, 279, and 280), shall not exceed 2.0% sulfur content (maximum) by weight at any time. [GAPCSR, Sections 1103.10 and 1104.12(8)]

II.C.3 Fuel oil used in the diesel-fired generators (Units 278, 279, and 280) shall not exceed 0.6% sulfur content by weight. [USEPA PSD Permit NSR 4-11, GU 93-03, Condition X.D.1, Issued December 12, 1995; GAPCSR, Section 1103.10]

II.C.4 Operation of the diesel-fired generators (Units 278, 279, and 280) shall be limited to periods of emergency or for testing and maintenance purposes. [GEPA Permit ORT-614P, Condition 3, Issued December 3, 1996]

II.C.5 The combined hours of operation of the diesel-fired generators (Units 278, 279, and 280) shall not exceed 1,350 hours per year. [GAPCSR, Section 1104.12(1)]

II.C.6 The permittee shall install, continuously operate, and maintain the following air pollution controls to minimize emissions from the diesel-fired generators (Units 278, 279, and 280). Controls listed shall be fully operational upon startup of the proposed equipment. [USEPA PSD Permit NSR 4-11, GU 93-03, Condition X.B, Issued December 12, 1995]

II.C.6.a Fuel injection timing retard of 10 degrees

II.C.6.b Turbocharging

II.C.7 The permittee shall not cause or permit visible fugitive dust to become airborne without taking reasonable precautions. Examples of reasonable precautions are [GAPCSR, Section 1103.4(a); SIP, Sections 8.1, 8.4, and 8.7]:

II.C.7.a Use of water or suitable chemicals for control of fugitive dust in the demolition of existing buildings or structures, construction and retrofitting operations, the grading of roads, or the clearing of land;

II.C.7.b Application of asphalt, water, or suitable chemicals on roads, material stockpiles, and other surfaces which may allow release of fugitive dust;

II.C.7.c Installation of appurtenances that provide an enclosure and ventilation for all crushing, aggregate screening, and conveying of material likely to become airborne;

II.C.7.d Installation and use of hoods, fans, and fabric filters to enclose and vent the handling of dusty materials. Reasonable containment methods shall be employed during sandblasting, spray painting, or other similar operations;

II.C.7.e Covering all moving, open-bodied trucks transporting materials which may release fugitive dust;

II.C.7.f Conducting agricultural operations, such as tilling of land and the application of fertilizers, in such manner as to reasonably minimize fugitive dust;

II.C.7.g Maintenance and sealing of road-ways and parking lots so as to prevent the exposure of such surfaces to wind, water, or vehicular travel erosion; and

II.C.7.h Prompt removal of earth or other materials from paved streets which have been transported there by trucking, earth-moving equipment, erosion, or other means.

II.C.8 Except for persons engaged in agricultural operations or persons who can demonstrate to the Administrator that the best practical operation or treatment is being implemented, no person shall cause or permit the discharge of visible fugitive dust beyond the property lot line on which the fugitive dust originates. [GAPCSR, Section 1103.4(b); SIP, Section 8.2]

## **II.D. Monitoring and Testing Requirements**

- II.D.1 The permittee shall provide sampling and testing facilities at its own expense. The tests shall be conducted at the maximum expected operating capacity of the equipment and GEPA may monitor the tests. For performance test purposes, sampling ports, platforms and access shall be provided by the permittee on the exhaust systems in accordance with 40 CFR 60.8 (e). [USEPA PSD Permit NSR 4-11, GU 93-03, Condition X.C.3, Issued December 12, 1995; GAPCSR, Section 1102.4; SIP, Sections 3.6(a), 3.9, and 4.1]
- II.D.2 At least thirty (30) days prior to performance a test, the permittee shall submit a written performance test plan to GEPA that describes the test date(s), duration, locations, and methods, source operation and other parameters that may affect test results. Such a plan shall conform to USEPA guidelines including quality assurance procedures. A test plan or quality assurance plan that does not have the approval of GEPA shall be grounds to invalidate any test and require a retest. [GAPCSR, Section 1102.4]
- II.D.3 Within sixty (60) days after completion of the performance test, the permittee shall submit to GEPA and USEPA Regional Administrator, the test report which shall include the operating conditions of the equipment at the time of the test, the analyses of the fuel, the summarized test results, comparative results with the permit emissions limits, and other pertinent field and laboratory data. [GAPCSR, Section 1102.4; SIP, Section 4.2]
- II.D.4 Any deviations from these conditions, test methods, or procedures may be cause for rejections of the test results unless such deviations are approved by GEPA before the tests are conducted. [GAPCSR, Section 1102.4]
- II.D.5 Upon written request and justification by the permittee, GEPA may waive the requirement for a specific source test or monitoring. The waiver request is to be submitted at least sixty (60) days prior to the required test and must include documentation justifying such action. Documentation should include, but is not limited to, the results of the prior test indicating compliance by a wide margin, documentation of continuing compliance, and further that operations of the source have not changed since the previous source test. [GAPCSR, Section 1102.4]
- II.D.6 The permittee shall perform visible emissions testing as follows [GAPCSR, Section 1104.12(7)]:

**Guam EPA**

Title V Federal Operating Permit

Naval Facilities Engineering Command Marianas

Orote Point, SIC Code 49

Permit No. FO-015F

Expires: March 1, 2014

II.D.6.a Annual opacity testing using USEPA Method 9 is required for boilers greater than 10 MMBTU/hr and generators greater than 2,000 kW.

II.D.6.b A one-time, initial source test using USEPA Method 9 is required within 180 of issuance of this permit for boilers greater than 5 MMBTU/hr and generators greater than 1,000 kW.

II.D.6.c For all combustion equipment, a daily visible emissions survey shall be performed on each day the equipment is operated. The visible emissions inspection shall be conducted by a Method 9-certified observer. Information to be collected during these surveys must include the following:

- 1) The color of the emissions,
- 2) Whether the emissions were light or heavy,
- 3) The cause of any abnormal emissions, and
- 4) Any corrective action taken.

II.D.6.d If visible emissions with an instantaneous opacity reading of 10% or higher are documented during the daily visible emissions survey required by Condition II.D.6.c, USEPA Method 9 opacity readings shall be recorded within 90 days to verify compliance with applicable opacity limits.

II.D.6.e GEPA may also require additional testing if daily visible emissions surveys consistently indicate possible emissions problems.

II.D.7 The permittee shall conduct performance tests for NO<sub>x</sub>, SO<sub>2</sub>, and CO on the diesel-fired generators (Units 278, 279, and 280) and furnish the USEPA and GEPA with a written report of the results of such tests. The tests for NO<sub>x</sub>, SO<sub>2</sub>, and CO shall be conducted on an annual basis and at the maximum operating capacity of the emission units being tested. Upon written request from the permittee, USEPA may approve the conducting of a performance test at a lower specified production rate. After initial performance test and upon written request and adequate justification from the permittee, USEPA may waive a specified annual test for the diesel-fired generators. [USEPA PSD Permit NSR 4-11, GU 93-03, Condition X.C.1, Issued December 12, 1995]

II.D.8 The performance tests for the emissions of NO<sub>x</sub>, SO<sub>2</sub>, and CO from the diesel-fired generators (Units 278, 279, and 280) shall be conducted and the results reported in accordance with the test methods set forth in 40

**Guam EPA**  
Title V Federal Operating Permit  
Naval Facilities Engineering Command Marianas  
Orote Point, SIC Code 49  
Permit No. FO-015F  
Expires: March 1, 2014

CFR 60, Part 60.8 and Appendix A. The following test methods shall be used:

II.D.8.a Performance tests for the emissions of SO<sub>2</sub> shall be conducted using USEPA Methods 1-4 and 6C.

II.D.8.b Performance tests for the emissions of CO shall be conducted using USEPA Methods 1-4 and 10.

II.D.8.c Performance tests for the emissions of NO<sub>x</sub> shall be conducted using USEPA Methods 1-4 and 7E.

[USEPA PSD Permit NSR 4-11, GU 93-03, Condition X.C.2, Issued December 12, 1995]

II.D.9 USEPA and GEPA shall be notified in writing at least 30 days prior to performance tests required in Condition II.D.8 of this permit to allow time for the development of an approvable performance test plan and to arrange for an observer to be present at the test. Such prior approval shall minimize the possibility of USEPA rejection of test results for procedural deficiencies. In lieu of the test methods specified in Condition II.D.8 of this permit, equivalent methods may be used with prior written approval from the USEPA. [USEPA PSD Permit NSR 4-11, GU 93-03, Condition X.C.2, Issued December 12, 1995]

II.D.10 The permittee shall install, maintain, and operate the following continuous monitoring systems (CEM) in the main stacks of the diesel-fired generators (Units 278, 279, and 280). The permittee may alternatively comply with Condition II.D.11 of this permit. [USEPA PSD Permit NSR 4-11, GU 93-03, Condition X.H.1, Issued December 12, 1995]

II.D.10.a A continuous monitoring system to measure stack gas NO<sub>x</sub> concentrations. The system shall meet USEPA monitoring performance specification (40 CFR 60.13 and 40 CFR 50, Appendix B, Performance Specification 2, 3, and 4).

II.D.10.b A continuous monitoring system to measure stack gas volumetric flow rates. The system shall meet USEPA performance specifications (40 CFR 52, Appendix E).

II.D.11 Instead of the CEM system specified in Condition II.D.10 of this permit, the permittee may install a Predictive Emission Monitoring (PEM) system for determining stack gas volumetric flow rates and NO<sub>x</sub> concentrations. The system shall monitor engine operating conditions and predict NO<sub>x</sub>



**Guam EPA**

Title V Federal Operating Permit

Naval Facilities Engineering Command Marianas

Orote Point, SIC Code 49

Permit No. FO-015F

Expires: March 1, 2014

emission rates as specified in a plan submitted to USEPA for approval within 360 days of the initial startup of the diesel-fired generators (Units 278, 279, and 280). The plan shall identify the operating conditions to be monitored and meet all the requirements of 40 CFR 75, Subpart E, including an application for certification of an alternative monitoring system. [USEPA PSD Permit NSR 4-11, GU 93-03, Condition X.H.2, Issued December 12, 1995]

II.D.12 Excess emissions indicated by the CEM or PEM system shall be considered violations of the applicable emission limit for the purpose of this permit. [USEPA PSD Permit NSR 4-11, GU 93-03, Condition X.H.6, Issued December 12, 1995]

**II.E. Recordkeeping Requirements**

II.E.1 All records, including support information, shall be maintained for at least five (5) years following the date of such records compiled in a permanent form suitable for inspection and made available to GEPA or their representative upon request. [GAPCSR, Section 1104.12(7)(H)]

II.E.2 The sulfur content of No. 2 fuel oil used in the diesel-fired equipment identified in Condition II.A.1 of this permit shall either be obtained from the fuel vendor or monitored pursuant to 40 CFR 60.334(b) using the method described in 40 CFR 60.335(d). [GAPCSR, Section 1103.10(a)]

II.E.3 Fuel consumption records shall be maintained annually for the equipment identified in Condition II.A.1 of this permit. [, Section 1102.4(c)]

II.E.4 The permittee shall maintain records of the following for the equipment identified in Condition II.A.1 of this permit, recorded in a permanent form suitable for inspection:

II.E.4.a All measurements, including operating load and annual hours of operation

II.E.4.b All monitoring device calibration checks

II.E.4.c Inspections, maintenance, adjustments, and any other repair work

II.E.4.d Performance test results

[GAPCSR, Section 1104.12(7)]

**Guam EPA**

Title V Federal Operating Permit

Naval Facilities Engineering Command Marianas

Orote Point, SIC Code 49

Permit No. FO-015F

Expires: March 1, 2014

- II.E.5 The records shall be in a permanent form suitable for inspection and shall be retained for at least five years following the date of measurements, maintenance, reports, and records. As a minimum, these records shall include the date of the measurement or inspection, a short description of the action and/or any such repair work, and a description of the part(s) inspected or repaired. [GAPCSR, Section 1104.12(7)]
- II.E.6 The permittee shall maintain records of all measurements related to the diesel-fired generators (Units 278, 279, and 280), including: continuous monitoring system evaluations; all continuous monitoring system or monitoring device calibration checks; adjustments and maintenance performed on these systems or devices; and performance and all other information required by 40 CFR 60 recorded in a permanent form suitable for inspection. The records shall be maintained for at least five years following the date of such measurements, maintenance, reports, and records. [USEPA PSD Permit NSR 4-11, GU 93-03, Condition X.H.3, Issued December 12, 1995; GAPCSR, Section 1104.12(7)(H)]
- II.E.7 The permittee shall record and maintain records of the amounts of fuel oil fired, sulfur weight percent, and hours of operation each calendar quarter for the diesel-fired generators (Units 278, 279, and 280). All information shall be recorded in a permanent form suitable for inspection. The file shall be retained for at least five years following the date of such measurements, calculation, and record. [GEPA Permit ORT-614P, Condition 6, Issued December 3, 1996; USEPA PSD Permit NSR 4-11, GU 93-03, Condition X.D.2, Issued December 12, 1995; GAPCSR, Section 1104.12(7)(H)]

**II.F. Reporting Requirements**

- II.F.1 As required in Section II.J and in conjunction with the requirements of Section II.K of this permit the permittee shall report annually the total tons per year emitted of each regulated air pollutant, including hazardous air pollutants. The reporting of annual emissions is due within sixty (60) days following the end of the each calendar year. Upon the written request of the permittee, the deadline for reporting of annual emissions may be extended, if GEPA determines that reasonable justification exists for the extension. [GAPCSR, Section 1104.24(c)]
- II.F.2 The permittee shall report in writing within thirty (30) days the modification, relocation, discontinuance of, operation of, or dismantlement of the equipment identified in Condition II.A.1 of this permit. [GAPCSR, Section 1104.5]

**Guam EPA**

Title V Federal Operating Permit

Naval Facilities Engineering Command Marianas

Orote Point, SIC Code 49

Permit No. FO-015F

Expires: March 1, 2014

II.F.3 The permittee shall provide a report to GEPA of the results of all monitoring and recordkeeping required by this permit at least once every six (6) months. Reports shall be submitted for monitoring and recordkeeping performed between January 1<sup>st</sup> and June 30<sup>th</sup> and between July 1<sup>st</sup> and December 31<sup>st</sup> and shall be postmarked by the 30<sup>th</sup> day following the end of the reporting period. The first monitoring and recordkeeping report will cover the period from the date of issuance of this permit to December 31, 2008. [GAPCSR, Section 1104.12(7)(I)]

II.F.4 The permittee shall submit a written report of all excess emissions from the diesel-fired generators (Units 278, 279, and 280) to USEPA each calendar quarter. These reports shall include the following: [USEPA PSD Permit NSR 4-11, GU 93-03, Condition X.H.5, Issued December 12, 1995]

II.F.4.a The magnitude of the excess emissions computed in accordance with 40 CFR 60.13(h), any conversion factors used, and the date and time of commencement and compilation of each time period of excess emissions.

II.F.4.b Specific identification of each period of excess emissions that occurs during startups, shutdowns, and malfunctions of the engine exhaust systems. The nature and cause of any malfunction (if known) and the corrective action taken or preventative measures adopted shall also be reported.

II.F.4.c The date and time identifying each period during which the continuous monitoring system or PEM was inoperative except for zero and span checks, and the nature of the system repairs or adjustments.

II.F.4.d When no excess emissions have occurred or the continuous monitoring system or PEM has not been imperative, repaired, or adjusted, such information shall be stated in the report.

II.F.4.e Excess emissions shall be defined as any 3-hour period during which the average emission of SO<sub>2</sub>, NO<sub>x</sub>, or CO, as measured by the CEM, or predicted by the PEM, exceeds the maximum emission limits set forth in Conditions II.B.2.a, II.B.2.b, and II.B.2.c of this permit.

II.F.5 Fuel consumption per annum and annual hours of operation of the diesel-fired equipment identified in Condition II.A.1 of this permit must be accurately measured and reported to GEPA by the 1st of March of the next year. Annual fuel consumption and hours of operation to be submitted is

**Guam EPA**

Title V Federal Operating Permit

Naval Facilities Engineering Command Marianas

Orote Point, SIC Code 49

Permit No. FO-015F

Expires: March 1, 2014

for January 1 through December 31 of the previous year. [GAPCSR, Section 1104.12(7)(I)]

II.F.6 By the 1st of March of every year, the permittee shall submit to GEPA the annual fuel consumption, average annual fuel sulfur content by weight, and the hours of operation for the previous year for the diesel-fired generators (Units 278, 279, and 280). [GEPA Permit ORT-614P, Condition 6, Issued December 3, 1996]

**II.G. Compliance Schedule**

II.G.1 For applicable requirements with which the source is in compliance, the source will continue to comply with such requirements. [GAPCSR, Section 1104.8(b)(2)(A)]

II.G.2 For applicable requirements which become applicable during the permit term, the source shall meet such applicable requirements on a timely basis. [GAPCSR, Section 1104.8(b)(2)(B)]

**II.H. Compliance Certifications**

II.H.1 The compliance plan and compliance certification submittal requirements shall be in accordance with Sections 1104.8 and 1104.9 of the GAPCSR. The compliance certification shall be submitted to GEPA and the USEPA Regional Administrator once per year, or more frequently as set by any applicable requirement.

II.H.2 During the permit term, the permittee shall submit at least annually to GEPA, a compliance certification pursuant to Section 1104.9 of the GAPCSR. This certification shall be postmarked by January 30<sup>th</sup> of each year, and shall cover the previous calendar year (January 1 through December 31). The first compliance certification will cover the period from the date of issuance of this permit to December 31, 2008. The permittee shall indicate whether or not compliance is being met with each term or condition of this permit. [GAPCSR, Section 1104.9]

**II.I. General Air Quality Protections**

II.I.1 The permittee shall not dispose of combustible material by open burning, or cause, suffer, allow, or permit open burning of combustible material within Guam, except as provided in Sections 1103.11 (b) through (e) of the GAPCSR. [GAPCSR, Section 1103.11; SIP, Section 6.1]

**Guam EPA**

Title V Federal Operating Permit

Naval Facilities Engineering Command Marianas

Orote Point, SIC Code 49

Permit No. FO-015F

Expires: March 1, 2014

**II.I.2 Control of Odors in Ambient Air**

II.I.2.a The permittee shall not discharge or cause to be discharged into the atmosphere from any source whatsoever, such quantities of odorous emissions which is injurious to health, or is indecent or offensive to the senses, which affects at the same time an entire community or neighborhood, or any considerable number of persons, so as to unduly interfere with the comfortable enjoyment of life or property of such community, neighborhood or persons. It is a creation of a condition which causes injury to the public welfare. [GAPCSR, Section 1103.12(a); SIP, Section 11.1]

II.I.2.b An odor occurrence shall be deemed a violation when a complaint is received by the Administrator and the Administrator is able to detect the odor. This detection must be verified by the Department of Public Health, Environmental Health Section for a person to be found in violation of subsection (a) of this condition. [GAPCSR, Section 1103.12(b); SIP, Section 11.2]

II.I.2.c The odor of growing vegetation, and chemical fertilizers and insecticides when used properly, or when persons can demonstrate to the Administrator that the best practical operation or treatment is being implemented, shall not be considered objectionable for the purposes of this requirement. [GAPCSR, Section 1103.12(c); SIP, Section 11.3]

II.I.3 The permittee shall comply with the asbestos requirements of 40 CFR 61, Subpart M (as amended and incorporated in Section 1103.13 of the GAPCSR), including requirements for demolition and renovation projects. [GAPCSR, Section 1103.13]

**Guam EPA**

Title V Federal Operating Permit

Naval Facilities Engineering Command Marianas

Orote Point, SIC Code 49

Permit No. FO-015F

Expires: March 1, 2014

**II.J. Annual Emissions Reporting Requirements**

II.J.1 The reporting period for the annual emissions, including emissions from the emission units identified in Condition II.A.1 of this permit, shall be from January 1 to December 31 of each calendar year. All reports shall be submitted to GEPA along with the annual fee due. The report shall be mailed to [GAPCSR, Section 1104.24(c)]:

**Administrator  
Guam Environmental Protection Agency  
Air and Land Division  
Air Pollution Control Program  
P.O. Box 22439 GMF  
Barrigada, Guam 96921**

All applicable correspondences and records with this permit submitted to GEPA shall have duplicate copies forwarded to:

**Director, Air Division (Attn: AIR-5)  
U.S. Environmental Protection Agency  
75 Hawthorne Street  
San Francisco, CA 94105**

II.J.2 The permittee shall retain the information submitted, including all emissions calculations. These records shall be in a permanent form suitable for inspection, retained for a minimum of five (5) years, and made available to GEPA upon request. [GAPCSR, Section 1104.12(7)(H)]

II.J.3 Any information submitted to GEPA without a request for confidentiality shall be considered public record. [GAPCSR, Section 1102.7]

II.J.4 The permittee may request confidential treatment of specific information by submitting a written request to the Administrator identifying the specific information that is to be accorded confidential treatment. [GAPCSR, Section 1102.7(b)]

**II.K. Fee Payment**

II.K.1 The permittee shall submit fees in accordance with GAPCSR, Sections 1104.21 through 1104.24. [GAPCSR, Section 1104.12(9)(K)]

II.K.2 The permittee shall complete and submit the Annual Fee Calculation Worksheet, including all emissions calculations, with the required annual

**Guam EPA**  
Title V Federal Operating Permit  
Naval Facilities Engineering Command Marianas  
Orote Point, SIC Code 49  
Permit No. FO-015F  
Expires: March 1, 2014

fee. The permittee shall make copies for future use. [GAPCSR, Section 1104.24(l)]

II.K.3 Annual fees shall be paid in full: [GAPCSR, Section 1104.24 (a)]

II.K.3.a Within sixty (60) days after the end of each calendar year;

II.K.3.b Within thirty (30) days after permanent discontinuance of the air emission source.

II.K.4 The permittee shall be assessed a Six Dollars (\$6.00) per ton per pollutant base rate of the total annual emission. However, the minimum annual fee due shall be Five Hundred Dollars (\$500.00) for federal oversight sources and One Hundred Dollars (\$100) for non-federal oversight sources for each valid permit held during the prior calendar year; or Forty-Two Dollars (\$42.00) per month for federal oversight sources and Eight Dollars (\$8) per month for non-federal oversight sources for any fraction of the year the permit is valid after the last calendar year for which annual fee was paid. [GAPCSR, Section 1104.24(g)]

II.K.5 If any part of the annual fee is not paid within thirty (30) days after the due date, a late penalty of five percent (5%) of the amount due shall at once accrue and be added thereto. Thereafter, on the first day of each calendar month during which part of the annual fee or any prior accrued late payment penalty remains unpaid, an additional late payment penalty of five percent (5%) of the then unpaid balance shall accrue and be added thereto. [GAPCSR, Section 1104.25(b)]

II.K.6 If any annual fee, including the late payment penalty required by the GAPCSR is not paid in full within thirty (30) days after the due date, the Administrator may terminate or suspend any or all of the owner or operator's air pollution control permit, after affording the opportunity for a hearing in accordance with Section 1104.19 or Section 1102.14 of the GAPCSR [GAPCSR, Section 1104.25(c)]

II.K.7 The annual emissions data for which the annual fees are based shall accompany the submittal of any annual fees and submitted on forms furnished by GEPA. [GAPCSR, Section 1104.24(c)]

II.K.8 Check payments shall be made payable to the Treasurer of Guam along with a notation that the funds be deposited into GEPA's Air Pollution Control Special Fund. [GAPCSR, Section 1104.21(d)]

**Guam EPA**

Title V Federal Operating Permit

Naval Facilities Engineering Command Marianas

Orote Point, SIC Code 49

Permit No. FO-015F

Expires: March 1, 2014

II.K.9 The annual fees and emissions data shall be mailed to [GAPCSR, Section 1104.24]:

**Administrator  
Guam Environmental Protection Agency  
Air and Land Division  
Air Pollution Control Program  
P.O. Box 22439 GMF  
Barrigada, Guam 96921**

All applicable correspondences and records with this permit submitted to GEPA shall have duplicate copies forwarded to:

**Director, Air Division (Attn: AIR-5)  
U.S. Environmental Protection Agency  
75 Hawthorne Street  
San Francisco, CA 94105**



**Guam EPA**  
Title V Federal Operating Permit  
Naval Facilities Engineering Command Marianas  
Orote Point, SIC Code 49  
Permit No. FO-015F  
Expires: March 1, 2014

### **III. Title V Administrative Requirements**

#### **III.A. Blanket Compliance Statement**

The permittee shall comply with all the terms and conditions of this permit. Any permit noncompliance constitutes a violation of the GAPCSR and, for all federally enforceable terms and conditions, the CAA, and is grounds for enforcement action, permit termination, suspension, reopening, or amendment, or for denial of a permit renewal application. Permit noncompliance shall be subject to the penalties and remedies provided for in Section 49116 of Chapter 49, Part 2, Division 2, Part 1 of Title 10 of the GCA. [GAPCSR, Section 1104.12(9)(A) and 1102.12; SIP, Section 4.4]

#### **III.B. Duty to Provide and Supplement Information**

The permittee shall furnish, in a timely manner, any information or record requested in writing by GEPA to determine whether cause exists for terminating, suspending, reopening, or amending the permit, or to determine compliance with the permit. Upon request, the permittee shall also furnish to GEPA copies of records required to be kept by the permit. For information claimed confidential, the permittee shall furnish such records to GEPA with a claim of confidentiality. [GAPCSR, Section 1104.12(9)(H)]

#### **III.C. Submissions**

Any document (including reports, compliance plans and compliance certifications) required to be submitted by this permit shall be certified by a responsible official. This certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete in accordance with 1102.3 and shall be mailed or forwarded to the following address [GAPCSR, Sections 1102.3 and 1104.12(9)(L)]:

**Administrator  
Guam Environmental Protection Agency  
Air and Land Division  
Air Pollution Control Program  
P.O. Box 22439 GMF  
Barrigada, Guam 96921**

All applicable correspondences and records with this permit submitted to GEPA shall have duplicate copies forwarded to:

**Director, Air Division (Attn: AIR-5)  
U.S. Environmental Protection Agency  
75 Hawthorne Street  
San Francisco, CA 94105**

**Guam EPA**  
Title V Federal Operating Permit  
Naval Facilities Engineering Command Marianas  
Orote Point, SIC Code 49  
Permit No. FO-015F  
Expires: March 1, 2014

### **III.D. Severability Clause**

If any term or condition of this permit becomes invalid as a result of a challenge to a portion of this permit, the other terms and conditions of this permit shall not be affected and remain valid. [GAPCSR, Section 1104.12(9)(B)]

### **III.E. Circumvention**

The permittee shall not cause or permit the installation or use of any device or any means which, without resulting in reduction in the total amount of air contaminant emitted, conceals or dilutes an emission of air contaminant which would otherwise violate these regulations. This provision does not prohibit recycling, burning as fuel or otherwise further processing material which would violate an emission regulation if released to the atmosphere, so long as the facility in which that material is used does not violate applicable emission regulations. [SIP, Section 17.2]

### **III.F. Permit Actions**

This permit will be revoked if the Agency finds willful or continued violations of the standards and regulations. [GAPCSR, Sections 1104.12(9)(A), 1104.18(a)(4), and 1104.18(b)(3); SIP, Section 3.7(c)]

### **III.G. Reopening for Cause**

This permit may be terminated, suspended, reopened, or amended for cause pursuant to Section 1104.18 of the GAPCSR, after affording the permittee an opportunity for a hearing in accordance with Section 1102.14 or 10 GCA 49111. [GAPCSR, Section 1104.12(9)(D)]

### **III.H. Property Rights**

This permit does not convey any property rights of any sort, or any exclusive privilege. [GAPCSR, Section 1104.12(9)(E)]

### **III.I. Inspection and Entry**

The permittee shall allow GEPA, the Regional Administrator for the USEPA and/or an authorized representative, upon presentation of credentials or other documents required by law:

III.I.1 To enter the premises where a source is located or emission-related activity is conducted, or where records must be kept under the conditions of the permit and inspect at reasonable times all facilities, equipment, practices,

operations, or records covered under the terms and conditions of the permit and request copies of records or copy records required by the permit; and

III.I.2 To sample or monitor at reasonable times substances or parameters to assure compliance with the permit or applicable requirements. [GAPCSR, Section 1104.12(9)(M)]

### **III.J. Emergency Provisions**

III.J.1 In addition to any emergency or upset provision contained in any applicable requirement, the permittee may seek to establish that noncompliance with a technology-based emission limitation under this permit was due to an emergency. To do so, the permittee shall demonstrate to the Administrator the affirmative defense of emergency through properly signed, contemporaneous operating logs, or other relevant evidence that:

III.J.1.a An emergency occurred and the permittee can identify the cause(s) of the emergency;

III.J.1.b The permitted facility was at the time being properly operated;

III.J.1.c During the period of the emergency, the permittee took all reasonable steps to minimize levels of emissions that exceeded the emission limitations or other requirements in this permit; and

III.J.1.d The permittee submitted notice of the emergency to the Administrator within two (2) working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken. This notice fulfills the prompt reporting of deviations pursuant to Section 1102.9 of the GAPCSR. [GAPCSR, Sections 1104.17(a) and 1104.1(c)]

III.J.1.e In any enforcement proceeding the permittee attempting to establish the occurrence of an emergency has the burden of proof. [GAPCSR, Section 1104.17(b)]

### **III.K. Transfer of Ownership or Operation**

III.K.1 This permit is not transferable, whether by operation of law or otherwise, either from one location to another or from one piece of equipment to another. [GAPCSR, Section 1104.4(c); SIP Section 3.8]

**Guam EPA**

Title V Federal Operating Permit

Naval Facilities Engineering Command Marianas

Orote Point, SIC Code 49

Permit No. FO-015F

Expires: March 1, 2014

III.K.2 This permit shall not be transferable, whether by operation of law or otherwise, from person to person without the approval of the Administrator. [GAPCSR, Section 1104.4(d); SIP Section 3.8]

III.K.3 In the event of any changes in control or ownership of facilities to be operated or modified, the resulting modification of this permit shall be made as an administrative amendment pursuant to Section 1104.20 of the GAPCSR. [GAPCSR, Section 1104.20]

**III.L. Permit Expiration and Renewal**

III.L.1 This permit is issued for a fixed term of five years from the date of issuance. [GAPCSR, Section 1104.11; SIP Section 3.1(b)(4)]

III.L.2 Application for permit renewal for federal oversight sources shall be submitted no more than eighteen (18) months prior to the date of permit expiration. Application for permit renewal for federal oversight sources shall be submitted no later than six (6) months prior to the date of permit expiration. Application for permit renewal for all other air pollution sources must be submitted at least 60 days prior to expiration. Late applications shall be subject to penalties pursuant to Section 1104.25 of the GAPCSR. [GAPCSR, Section 1104.6(d); SIP Section 3.1(b)(4)]

III.L.3 This permit shall remain valid past the expiration date and the air pollution emission source shall not be in violation for failing to have an air pollution control permit, until the Administrator has issued or denied the renewal of the air pollution control permit, provided [GAPCSR, Section 1104.2(d)]:

III.L.3.a A complete renewal application has been submitted and the owner or operator acts consistently with the permit previously granted, and the application on which it was based, and all plans, specifications, and other information submitted as part of the application; and

III.L.3.b The owner or operator has submitted to the Administrator within the specified deadlines, all requested additional information deemed necessary to evaluate or take final action on the renewal application as described in Section 1104.6 of the GAPCSR.

**III.M. Permit Modifications**

Applications for modification of this permit are subject to the same requirements as the initial application including all requirements pursuant to Section 1104.6(c) of the GAPCSR. The permittee shall submit a description of the modification, identifying all

**Guam EPA**

Title V Federal Operating Permit

Naval Facilities Engineering Command Marianas

Orote Point, SIC Code 49

Permit No. FO-015F

Expires: March 1, 2014

proposed changes, including any changes to the source operations, work practices, equipment design, source emissions, or any monitoring, record keeping, and reporting procedures. Each change from the permit application for this permit shall be identified on the application for the permit modification. [GAPCSR, Section 1104.6(f)]

**III.N. Malfunction**

III.N.1 Except for emergencies which result in noncompliance with any technology-based emission limitation in accordance with Section 1104.17 of the GAPCSR, in the event any emission unit, air pollution control equipment, or related equipment breaks down in such a manner as to cause the emission of air pollutants in violation of GAPCSR, or this permit, the permittee shall immediately notify, within twenty-four (24) hours, GEPA of the failure or breakdown, unless the protection of personnel or public health or safety demands immediate attention to the failure or breakdown and makes such notification infeasible. In the latter case, the notice shall be provided as soon as practicable. The submittal of these notices shall not be a defense to an enforcement action. Within five (5) working days of this initial notification, the permittee shall also submit, in writing, the following information:

III.N.1.a Identification of emission points;

III.N.1.b Magnitude of the excess emissions;

III.N.1.c Time and duration of the excess emissions;

III.N.1.d Identity of the process or control equipment causing the excess emissions;

III.N.1.e Cause and nature of the excess emissions;

III.N.1.f Description of the steps taken to remedy the situation, prevent a recurrence, limit the excessive emissions, and assure that the breakdown does not interfere with the attainment and maintenance of the National Ambient Air Quality Standards (NAAQS) and Guam ambient air quality standards;

III.N.1.g Documentation that the equipment or process was at all times maintained and operated in a manner consistent with good practice for minimizing emissions; and

III.N.1.h A statement that the excess emissions are not part of a recurring pattern indicative of inadequate design, operation, or maintenance.  
[GAPCSR, Section 1102.9]

### III.O. Agency Notifications

III.O.1 The permittee shall notify the Administrator in writing of the following dates:

III.O.1.a The anticipated date of initial start-up for each emission unit of a new source or significant modification not more than sixty (60) days or less than thirty (30) days prior to such date.

III.O.1.b The actual date of construction commencement within fifteen (15) days after such date.

III.O.1.c The actual date of start-up within fifteen (15) days after such date.  
[GAPCSR, Section 1104.12(9)(G)]

III.O.2 The permittee shall notify GEPA in writing, of the intent to shut down air pollution control equipment for necessary scheduled maintenance at least twenty-four (24) hours prior to the planned shutdown. The submittal of this notice shall not be a defense to an enforcement action. The notice shall include the following:

III.O.2.a Identification of the specific equipment to be taken out of service, as well as its location and permit number;

III.O.2.b The expected length of time that the air pollution control equipment will be out of service;

III.O.2.c The nature and quantity of emissions of air pollutants likely to be emitted during the shutdown period;

III.O.2.d Measures such as the use of off-shift labor and equipment that will be taken to minimize the length of the shutdown period; and

III.O.2.e The reasons why it would be impossible or impractical to shut down the source operation during the maintenance period.  
[GAPCSR, Section 1102.8; SIP, Section 4.3]

III.O.3 A copy of applicable correspondence or records submitted to GEPA shall be provided to the USEPA pursuant to Section 1104.15 of the GAPCSR.  
[GAPCSR, Section 1104.12(9)(I)]

III.O.4 Within thirty (30) days of permanent discontinuance of the operation, modification, relocation, or construction of any of the above units, the responsible official shall report the discontinuance in writing to the Administrator. [GAPCSR, Section 1104.5(a)]

### **III.P. Miscellaneous Conditions**

III.P.1 Unless specifically identified, the terms and conditions contained in this permit are consistent with the applicable requirement on which each term or condition is based. [Section 49107(7)(c)(2) of Chapter 49, Part 2, Division 2, Part 1 of Title 10 of the GCA]

III.P.2 This permit, or a copy thereof, shall be maintained at or near the source for which this permit was issued and shall be made available for inspection upon request. [GAPCSR, Section 1104.4(a); SIP, Section 3.12]

III.P.3 This permit shall not be willfully defaced, altered, forged, counterfeited, or falsified. [GAPCSR, Section 1104.4(b); SIP, Section 3.13]

III.P.4 The facility covered by this permit shall be constructed and operated in accordance with the application, and any information submitted as part of the application, for this permit. There shall be no deviation from this permit condition unless additional or revised plans are submitted to and approved by GEPA, and the permit is amended to allow for such deviation. [GAPCSR, Section 1104.12(12)]

III.P.5 This permit (a) does not release the permittee from compliance with other applicable statutes of Guam, or with applicable local or federal laws, regulations, or ordinances, and (b) shall not constitute, nor be construed to be an approval of the design of the source. [GAPCSR, Sections 1104.2(e) and 1104.12(11)]

III.P.6 The permittee shall not use as a defense in an enforcement action that it would have been necessary to halt or reduce the permitted activity to maintain compliance with the terms and conditions of this permit. [GAPCSR, Section 1104.12(9)(C)]

III.P.7 The filing of a request by the permittee for a permit termination, suspension, reopening, or amendment, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [GAPCSR, Section 1104.12(9)(D)]

III.P.8 This permit shall become invalid with respect to any authorized construction if construction is not commenced as follows:

**Guam EPA**

Title V Federal Operating Permit

Naval Facilities Engineering Command Marianas

Orote Point, SIC Code 49

Permit No. FO-015F

Expires: March 1, 2014

III.P.8.a Within thirty (30) days of permanent discontinuance of the construction, modification, relocation or operation of any permitted air pollution emission source, the responsible official shall report the discontinuance in writing to the Administrator.

III.P.8.b For phased construction projects, each phase shall commence construction within eighteen (18) months of the projected and approved commencement dates in the permit. [GAPCSR, Sections 1104.5(b), 1104.5(c), and 1104.12(9)(F)]

III.P.9 GEPA may extend the time periods specified in Condition III.P.8 of this permit upon a satisfactory showing that an extension is justified. Request for an extension shall be submitted in writing to GEPA. [GAPCSR, Section 1104.5(d)]

III.P.10 The permittee may request confidential treatment of any records in accordance with Section 1102.7 of the GAPCSR. [GAPCSR, Section 1104.12(9)(J)]

III.P.11 The terms and conditions included in this permit, including any provision designed to limit a source's potential to emit, are federally enforceable unless such terms, conditions, or requirements are specifically designated as not federally enforceable. [GAPCSR, Section 1104.14]



**GUAM EPA  
TITLE V FEDERAL OPERATING PERMIT  
STATEMENT OF BASIS**

**Naval Facilities Engineering Command Marianas  
Orote Point, SIC Code 49**

**Permit No. FO-015F**

Facility ID:	FO-015
Facility Name:	Naval Facilities Engineering Command Marianas, Orote Point, SIC Code 49
Mailing Address:	PSC 455, Box 195 FPO AP, Guam 96540
Responsible Official:	NAVFAC Marianas Commanding Officer
Title:	Commanding Officer
Phone Number:	(671) 339-5100
Contact Name:	Refer to Updated Inventory Spreadsheet for pertinent info.
Title:	
Phone Number:	
Person Responsible for Recordkeeping:	Refer to Updated Inventory Spreadsheet for pertinent info.
Title:	
Phone Number:	

**I. Purpose**

The purpose of this engineering evaluation is to identify all applicable requirements, determine if the facility will comply with those applicable requirements, and provide the legal and factual basis for proposed permit conditions.

**II. Facility Location**

Naval Facilities Engineering Command Marianas, Orote Point facilities are located inside Main Base, Naval Station, Guam.

Naval Facilities Engineering Command Marianas operates three federal oversight facilities in Guam: the Finegayan SIC Code 49 facility, the Orote Point SIC Code 49 facility, and the Naval Hospital SIC Code 80 facility. These

**Guam EPA**

Air Pollution Control Permit

Statement of Basis

Naval Facilities Engineering Command Marianas – Orote Point, SIC Code 49

facilities are not contiguous or adjacent. Therefore, these facilities have been permitted by GEPA as three separate sources.

**III. Description of Facility Operations**

The facilities consist of three large stationary generators for providing emergency backup power, one black-start generator, one diesel engine-driven tire shredder, and a sanitary landfill.

**IV. Equipment Listing and Permitting History****IV.A. Significant Emission Units**

A listing of all permitted equipment at the facility is presented in the table below. This table also includes the Guam EPA (GEPA) permit number for those emission units with existing permits. The conditions from these permits have been incorporated into the Title V permit, which supercedes the existing GEPA permits.

<b>Emission Unit Number</b>	<b>Unit Description</b>	<b>Associated Control Equipment</b>	<b>Guam EPA Permit Number</b>	<b>USEPA PSD Permit Number</b>
278	6,600 kilowatt (kW) diesel-fired emergency generator	N/A	ORT-614P	GU 93-03
279	6,600 kW diesel-fired emergency generator	N/A	ORT-614P	GU 93-03
280	6,600 kW diesel-fired emergency generator	N/A	ORT-614P	GU 93-03
335	Sanitary landfill (196,000 yd <sup>3</sup> /yr)	N/A	N/A	N/A
342	210 kW diesel-fired tire shredder	N/A	N/A	N/A
424	300 kW diesel-fired black-start emergency generator	N/A	N/A	N/A

**IV.B. Insignificant Emission Units**

The following list of insignificant activities provided by the applicant in the permit application for this facility has been approved by GEPA. This equipment is not exempt from facility-wide requirements.

<b>Description of Activities or Emission Units</b>
1.046 MMBtu/hr heater-digester system
30 kW diesel-fired emergency generator (Security ATS)

## V. Potential to Emit

The annual potential to emit for each significant emission unit is presented below.

Emission Unit	Potential to Emit (tons/year)						
	NO <sub>x</sub>	CO	SO <sub>2</sub>	PM <sub>10</sub>	VOC	Lead	HAPs
ID 278	32.00	2.03	7.65	0.23	2.48	0	2.08E-02
ID 279	32.00	2.03	7.65	0.23	2.48	0	2.08E-02
ID 280	32.00	2.03	7.65	0.23	2.48	0	2.08E-02
ID 335	0	0	0	0	118.00	0	10.13
ID 342	6.55	1.41	0.43	0.47	0.53	0	5.60E-03
ID 424	9.35	2.02	0.62	0.66	0.76	0	8.00E-03
<b>TOTAL</b>	<b>111.90</b>	<b>9.52</b>	<b>24.00</b>	<b>1.80</b>	<b>126.73</b>	<b>0</b>	<b>10.21</b>

## VI. Guam Requirements

The following table lists the applicable requirements from the Guam Air Pollution Control Standards and Regulations (GAPCSR) and from the approved Guam State Implementation Plan (SIP). For rules where an applicability determination was required, a discussion is included below.

Section 1103.2	Guam Ambient Air Quality Standards
Section 1103.3	Visible Emissions
Section 1103.4	Fugitive Dust
Section 1103.10	Sulfur Oxides from Fuel Combustion
Section 1103.11	Open Burning
Section 1103.12	Control of Odors in Ambient Air
Section 1103.13	Asbestos
Section 1104	Permit Program Regulations
SIP, Section 7.5	Particulate Emissions from Fuel Combustion

**Guam EPA**

Air Pollution Control Permit

Statement of Basis

Naval Facilities Engineering Command Marianas – Orote Point, SIC Code 49

**VI.A. Particulate Matter (PM) Limits for Fuel Burning Equipment**

Section 7.5 of the GEPA SIP requires that for fuel burning equipment between 1 MMBtu/hr and 1,000 MMBtu/hr in size, the allowable particulate emissions shall be calculated using the following equation:

$$Y = 1.02 X^{-0.231}$$

Where:

Y = Allowable particulate emission rate (lb/MMBtu)

X = Operating rate (MMBtu/hr)

Assuming an engine efficiency of 40%, and using a conversion factor of 3.41 MMBtu/hr per MW, this limit would be required for engines between 0.12 MW and 117 MW. Therefore, the tire shredder (Unit 342), black-start generator (Unit 424), and emergency generators (Units 278, 279, and 280) are all subject to this limit. The allowable PM emission rates for each unit were calculated based on operating load and the equation and assumptions outlined above. The resulting PM emission limits for the facility are presented in the table below. GEPA believes that no additional monitoring is necessary to ensure compliance with these process weight rate limits.

<b>Emission Unit</b>	<b>PM Limit (lb/MMBtu)</b>
278	0.61
279	0.61
280	0.61
342	1.4
424	1.3

**VII. Federal Requirements**

The following table lists the applicable requirements from United States Environmental Protection Agency (USEPA) regulations. For rules where an applicability determination was required, a discussion is included below.

40 CFR Part 61, Subpart M	Asbestos
40 CFR Part 69	Special Exemptions
USEPA PSD Permit GU 93-03	

**Guam EPA**

Air Pollution Control Permit

Statement of Basis

Naval Facilities Engineering Command Marianas – Orote Point, SIC Code 49

**VII.A. New Source Performance Standards (NSPS)**

The diesel engines at the facility were commissioned prior to June 11, 2005 and, therefore, are not subject to requirements pursuant to NSPS for stationary compression ignition internal combustion engines (71 FR 39154).

**VII.B. Compliance Assurance Monitoring (CAM)**

Compliance Assurance Monitoring (CAM) is intended to provide a reasonable assurance of compliance with applicable requirements for large emission units that rely on pollution control device equipment to achieve compliance. The CAM regulations can be found in 40 CFR Part 64. CAM applicability is determined on a pollutant-specific basis. According to these regulations, an emission unit that meets all of the following criteria is subject to CAM:

1. The unit is located at major source required to obtain Part 70 or 71 permit;
2. The unit is subject to an emission limitation for the applicable pollutant;
3. The unit uses a control device (as defined by 40 CFR 64.1) to achieve compliance;
4. The potential precontrolled emissions of an applicable pollutant from the unit are equal to or greater than the major source threshold for that pollutant; and
5. The unit is not otherwise exempted by the CAM regulations.

Regarding the first requirement, the CAM rule (in 40 CFR 64.1) states that “*Part 70 or 71 permit* shall have the same meaning as provided under [40 CFR 70 or 71] provided that it shall also refer to a permit issued, renewed, amended, revised, or modified under any federal permit program promulgated under Title V [of the Clean Air] Act].”

After receiving a special exemption from USEPA, GEPA has adopted an “alternate operating permit program” according to the requirements of 40 CFR 69.13. As a result, it was not immediately clear whether this program satisfied the definition in the CAM rule. USEPA Region 9 was consulted on this matter, and made a determination that GEPA’s alternate operating permit program was promulgated under Title V of the Clean Air Act, so facilities located on Guam are potentially subject to CAM.

Emissions from the point sources at the facility are not controlled and individually emit less than major source pollutant thresholds.

**Conclusion:** None of the emission units at the facility are subject to CAM.

**Guam EPA**

Air Pollution Control Permit

Statement of Basis

Naval Facilities Engineering Command Marianas – Orote Point, SIC Code 49

**VIII. Periodic Monitoring and Recordkeeping**

<b>Requirement</b>	<b>Requirement Condition #</b>	<b>Existing Monitoring/ Recordkeeping</b>	<b>Monitoring/ Recordkeeping Added to Permit</b>	<b>Monitoring/ Recordkeeping Condition #</b>
PM emission limit for fuel burning equipment	II.B.2.d, II.B.3.a, and II.B.4.a		Opacity monitoring	II.D.6
Opacity limits for fuel burning equipment	II.B.1.a		Opacity monitoring	II.D.6
SO <sub>x</sub> emission limit for generators	II.B.2.a	Annual SO <sub>x</sub> test for generators		II.D.7, II.D.8.a and II.D.9
CO emission limit for generators	II.B.2.b	Annual CO test for generators		II.D.7, II.D.8.b and II.D.9
NO <sub>x</sub> emission limit for generators	II.B.2.c	Annual NO <sub>x</sub> test for generators		II.D.7, II.D.8.c, II.D.9, II.D.10.a and II.D.11
Preventative maintenance for fuel burning equipment	II.C.1		Maintenance recordkeeping	II.E.4
Fuel sulfur content limits	II.C.2 and II.C.3	Fuel sulfur content recordkeeping		II.E.2
Limitations on generator operation	II.C.4 and II.C.5		Hours of operation recordkeeping	II.E.4 and II.E.7
Air pollution controls for generators	II.C.6	None		N/A
Reasonable precautions against airborne fugitive dust	II.C.7	None		N/A
Fugitive dust discharge limitations	II.C.8	None		N/A

**IX. Streamlining Applicable Requirements:**

**Guam EPA**

Air Pollution Control Permit

Statement of Basis

Naval Facilities Engineering Command Marianas – Orote Point, SIC Code 49

Consistent with USEPA policy, overlapping or redundant requirements may be streamlined when these are incorporated in a Title V permit. In this process, the most stringent of the overlapping requirements is determined and included in the Title V permit (while the source of authority for this condition lists all related requirements, including those that have been streamlined). Streamlining allows the permit conditions to be listed in a clear and concise manner while ensuring compliance with all applicable requirements. The following section contains a description of streamlining that has been performed in this permit.

**Condition II.C.3 – Fuel Oil Sulfur Content Limitation for Generators**

USEPA Permit NSR 4-11, GU 93-03 states that the fuel oil used in the diesel-fired generators (Units 278, 279, and 280) shall not exceed 0.6% sulfur content by weight. GAPCSR Section 1103.10 states that no person shall burn fossil fuel containing in excess of 2.0% sulfur by weight. Since the requirement in the USEPA permits is more stringent, the 0.6% sulfur limit was included in the permit.

**Condition II.C.5 – Hours of Operation Limitation for Generators**

The combined operation of the diesel-fired generators (Units 278, 279, and 280) was limited to a maximum of 1,350 hours of operation per year in accordance with the Title V application submitted to GEPA.

**Conditions II.E.6 and II.E.7 – Recordkeeping Retention Requirements**

USEPA Permit NSR 4-11, GU 93-03, Conditions X.D.2 and X.H.3 include a records retention requirement of two years. GAPCSR Section 1104.12(7)(H) requires five years of record retention. Since GAPSCR requirement is more stringent, the five year requirement was included in the permit.





# GUAM ENVIRONMENTAL PROTECTION AGENCY

## AIR POLLUTION CONTROL PERMIT

Permit No. FO-015F

IS HERBY ISSUED TO

Naval Facilities Engineering Command Marianas

LOCATED AT

Orote Point, SIC Code 49

in accordance with the Guam Air Pollution Control Standards and Regulations (GAPCSR),  
Public Law 24-20, 10 Guam Code Annotated (GCA), Chapter 49.

This Permit is non-transferable and the permittee is subject to the requirements for holding and transfer of  
permits in Section 1104.4 of the GAPCSR.

No person shall willfully deface, alter, forge, counterfeit, or falsify this Permit.

This Permit shall expire **03/01/2014**. The renewal application shall be submitted no later than **09/01/2013**.



**LORILLEE T. CRISOSTOMO**

Administrator

Date: NOV 11 2009



